# THE ASTROPHYSICAL JOURNAL

## CONTENTS OF VOLUME 425, PART 1

1994 APRIL 10, Number 1


| | Page | Fiche |
|---|---|---|
| REDSHIFT DISTORTIONS OF GALAXY CORRELATION FUNCTIONS<br>*J. N. Fry & Enrique Gaztañaga* | 1 | 80-B1 |
| DISCOVERY OF CEPHEIDS IN IC 4182: ABSOLUTE PEAK BRIGHTNESS OF SN Ia 1937C AND THE VALUE OF $H_0$<br>*A. Saha, Lukas Labhardt, Hans Schwengeler, F. D. Macchetto, N. Panagia, Allan Sandage, & G. A. Tammann* | 14 | 80-C6 |
| DARK MATTER IN HIERARCHICAL CLUSTER EVOLUTION<br>*Mark J. Henriksen* | 35 | 80-E8 |
| MERGERS, COOLING FLOWS, AND EVAPORATION REVISITED<br>*A. C. Fabian, C. R. Canizares, & H. Böhringer* | 40 | 80-F1 |
| THE FLATTENING DISTRIBUTION OF DWARF ELLIPTICAL GALAXIES IN THE VIRGO CLUSTER<br>*Barbara S. Ryden & Donald M. Terndrup* | 43 | 80-F6 |
| THE RING AROUND SUPERNOVA 1987A REVISITED. I. ELLIPTICITY OF THE RING<br>*Andrew Gould* | 51 | 80-G2 |
| ON THE SIZE AND FORMATION MECHANISM OF THE LARGEST STAR-FORMING COMPLEXES IN SPIRAL AND IRREGULAR GALAXIES<br>*Debra Meloy Elmegreen, Bruce G. Elmegreen, Cornelia Lang, & Carnella Stephens* | 57 | 80-G11 |
| MULTIPLE IMAGES AND LIGHT CURVES OF AN EMITTING SOURCE ON A RELATIVISTIC ECCENTRIC ORBIT AROUND A BLACK HOLE<br>*G. Bao, P. Hadrava, & E. Østgaard* | 63 | 81-A5 |
| NEAR-INFRARED SPECTRAL IMAGING OF NGC 1808: PROBING THE STARBURST<br>*A. Krabbe, A. Sternberg, & R. Genzel* | 72 | 81-B2 |
| FAR-INFRARED EMISSION FROM THE BULGES OF EARLY-TYPE SPIRALS: KAO OBSERVATIONS OF NGC 4736 (M94) AND NGC 3627 (M66)<br>*Beverly J. Smith, P. M. Harvey, C. Colomé, C. Y. Zhang, J. DiFrancesco, & R. W. Pogge* | 91 | 81-C9 |
| X-RAY ABSORPTION TOWARD THE RED QUASAR 3C 212<br>*Martin Elvis, Fabrizio Fiore, Smita Mathur, & Belinda J. Wilkes* | 103 | 81-D10 |
| X-RAY IMAGES OF THE GALACTIC CENTER OBTAINED WITH ART-P/*GRANAT*: DISCOVERY OF NEW SOURCES, VARIABILITY OF PERSISTENT SOURCES, AND LOCALIZATION OF X-RAY BURSTERS<br>*M. N. Pavlinsky, S. A. Grebenev, & R. A. Sunyaev* | 110 | 81-E5 |
| INITIAL MASS FUNCTIONS FROM ULTRAVIOLET AND STELLAR PHOTOMETRY: A COMPARISON OF LUCKE AND HODGE OB ASSOCIATIONS NEAR 30 DORADUS WITH THE NEARBY FIELD<br>*Jesse K. Hill, Joan E. Isensee, Robert H. Cornett, Ralph C. Bohlin, Robert W. O'Connell, Morton S. Roberts, Andrew M. Smith, & Theodore P. Stecher* | 122 | 81-F5 |
| HIGH-RESOLUTION MEASUREMENTS OF $NH_3$ ABSORPTION TOWARD CASSIOPEIA A<br>*R. A. Gaume, T. L. Wilson, & K. J. Johnston* | 127 | 81-G1 |
| CCD SOFT X-RAY OBSERVATIONS OF THE PUPPIS A SUPERNOVA REMNANT<br>*G. D. Berthiaume, D. N. Burrows, G. P. Garmire, & J. A. Nousek* | 132 | 81-G8 |
| AMBIPOLAR DIFFUSION, INTERSTELLAR DUST, AND THE FORMATION OF CLOUD CORES AND PROTOSTARS. III. TYPICAL AXISYMMETRIC SOLUTIONS<br>*Glenn E. Ciolek & Telemachos Ch. Mouschovias* | 142 | 82-A6 |
| SIMULATION OF THICK ACCRETION DISKS WITH STANDING SHOCKS BY SMOOTHED PARTICLE HYDRODYNAMICS<br>*Diego Molteni, Giuseppe Lanzafame, & Sandip K. Chakrabarti* | 161 | 82-B13 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| NUMERICAL STUDY OF TWO-FLUID C-TYPE SHOCK WAVES<br>*Gábor Tóth* | 171 | 82-C11 |
| THE ROLE OF THE EQUATION OF STATE IN THE "PROMPT" PHASE OF TYPE II SUPERNOVAE<br>*F. Douglas Swesty, James M. Lattimer, & Eric S. Myra* | 195 | 82-F3 |
| REDISCUSSION OF EXTRAGALACTIC SUPERNOVA RATES DERIVED FROM EVANS'S 1980–1988 OBSERVATIONS<br>*Sidney van den Bergh & Robert D. McClure* | 205 | 82-G1 |
| A TOOL FOR PROBING THE STRUCTURE OF NEUTRON STARS: TRANSIENT X-RAY EMISSION<br>*N. Chong & K. S. Cheng* | 210 | 82-G8 |
| SEARCH FOR GAMMA-RAY–BURST CORRELATION WITH NEUTRINOS<br>*J. M. LoSecco* | 217 | 83-A1 |
| STANDARD AND NONSTANDARD PLASMA NEUTRINO EMISSION REVISITED<br>*Martin Haft, Georg Raffelt, & Achim Weiss* | 222 | 83-A8 |
| NEAR-INFRARED SPECTROSCOPY OF YOUNG STELLAR OBJECTS<br>*D. M. Kelly, G. H. Rieke, & B. Campbell* | 231 | 83-B5 |
| THE *K*-BAND SURFACE BRIGHTNESS OF LATE-TYPE STARS AND THE DISTANCE TO CATACLYSMIC VARIABLES<br>*Tod F. Ramseyer* | 243 | 83-C5 |
| SPECTROPOLARIMETRY OF NOVA CYGNI 1992: EVIDENCE FOR AN ASYMMETRIC GEOMETRY<br>*K. S. Bjorkman, K. A. Johansen, K. H. Nordsieck, J. S. Gallagher, & A. J. Barger* | 247 | 83-C12 |
| ON THE MAGNETIC NATURE OF GQ MUSCAE<br>*M. P. Diaz & J. E. Steiner* | 252 | 83-D5 |
| NICKEL BUBBLE INSTABILITY AND MIXING IN SN 1987A<br>*Mikhail Basko* | 264 | 83-E5 |
| THE 8–13 MICRON SPECTRA OF COMETS AND THE COMPOSITION OF SILICATE GRAINS<br>*Martha S. Hanner, David K. Lynch, & Ray W. Russell* | 274 | 83-F3 |
| THE HYADES LITHIUM PROBLEM REVISITED<br>*Fritz J. Swenson, John Faulkner, Forrest J. Rogers, & Carlos A. Iglesias* | 286 | 83-G3 |
| DIFFERENTIAL ROTATION AND TURBULENT CONVECTION: A NEW REYNOLDS STRESS MODEL AND COMPARISON WITH SOLAR DATA<br>*V. M. Canuto, F. O. Minotti, & O. Schilling* | 303 | 84-A9 |
| COMPARISON BETWEEN COOL AND HOT PLASMA BEHAVIORS OF SURGES<br>*B. Schmieder, L. Golub, & S. K. Antiochos* | 326 | 84-C6 |
| NEW DESCRIPTION OF CHARGED PARTICLE PROPAGATION IN RANDOM MAGNETIC FIELDS<br>*James A. Earl* | 331 | 84-D7 |
| SOLAR CORONAL TEMPERATURE DIAGNOSTICS USING EMISSION LINES FROM MULTIPLE STAGES OF IONIZATION OF IRON<br>*Jeffrey W. Brosius, Joseph M. Davila, Roger J. Thomas, & William T. Thompson* | 343 | 84-E7 |
| PLANET DETECTABILITY BY AN ADAPTIVE OPTICS STELLAR CORONAGRAPH<br>*Tadashi Nakajima* | 348 | 84-F1 |


## 1994 APRIL 20, Number 2


| | | |
|---|---|---|
| THE EFFECTS OF INCOMPLETE SKY COVERAGE ON THE ANALYSIS OF LARGE ANGULAR SCALE MICROWAVE BACKGROUND ANISOTROPY<br>*Emory Bunn, Yehuda Hoffman, & Joseph Silk* | 359 | 86-B8 |
| A COSMIC STRING-SPECIFIC SIGNATURE ON THE COSMIC MICROWAVE BACKGROUND<br>*R. Moessner, L. Perivolaropoulos, & R. Brandenberger* | 365 | 86-C1 |
| MOLECULES IN THE POSTRECOMBINATION UNIVERSE AND MICROWAVE BACKGROUND ANISOTROPIES<br>*Roberto Maoli, Francesco Melchiorri, & Danilo Tosti* | 372 | 86-C12 |

## CONTENTS




| | Page | Fiche |
|---|---|---|
| RECOVERING THE REAL DENSITY FIELD OF GALAXIES FROM REDSHIFT SPACE<br>*Mirt Gramann, Renyue Cen, & J. Richard Gott III* | 382 | 86-D10 |
| THE THREE-POINT FUNCTION AS A PROBE OF MODELS FOR LARGE-SCALE STRUCTURE<br>*Joshua A. Frieman & Enrique Gaztañaga* | 392 | 86-E8 |
| THE POWER SPECTRA OF DARK HALOS IN A COLD DARK MATTER UNIVERSE<br>*Tereasa G. Brainerd & Jens V. Villumsen* | 403 | 86-F7 |
| THE MOTION OF THE LOCAL GROUP WITH RESPECT TO THE 15,000 KILOMETER PER SECOND ABELL CLUSTER INERTIAL FRAME<br>*Tod R. Lauer & Marc Postman* | 418 | 87-A1 |
| SELF-SIMILAR EVOLUTION OF MAGNETIZED PLASMAS. II. NONEQUILIBRIUM SOLUTIONS AND HUBBLE'S EXPANSION<br>*Wei-Hong Yang* | 439 | 87-B10 |
| APPARENT MILLIARCSECOND SIZES OF ACTIVE GALACTIC NUCLEI AND THE GEOMETRY OF THE UNIVERSE<br>*L. I. Gurvits* | 442 | 87-C1 |
| THE LOCAL GALAXY DENSITY AND THE ARM CLASS OF SPIRAL GALAXIES<br>*Giuliano Giuricin, Pierluigi Monaco, Fabio Mardirossian, & Marino Mezzetti* | 450 | 87-C11 |
| UNCOVERING THE INTRINSIC SHAPES OF ELLIPTICAL GALAXIES. I. THEORETICAL VELOCITY FIELD MODELS<br>*Thomas S. Statler* | 458 | 87-D7 |
| UNCOVERING THE INTRINSIC SHAPES OF ELLIPTICAL GALAXIES. II. APPROXIMATE KINEMATIC SHAPE INDICATORS<br>*Thomas S. Statler & Anne M. Fry* | 481 | 87-F7 |
| UNCOVERING THE INTRINSIC SHAPES OF ELLIPTICAL GALAXIES. III. PRACTICAL MODELING<br>*Thomas S. Statler* | 500 | 88-A1 |
| INSTABILITIES OF COUNTERROTATING STELLAR DISKS<br>*J. A. Sellwood & David Merritt* | 530 | 88-C5 |
| BENDING INSTABILITIES IN STELLAR SYSTEMS<br>*David Merritt & J. A. Sellwood* | 551 | 88-E5 |
| EVIDENCE FOR TWO CLASSES OF PARSEC-SCALE RADIO DOUBLE SOURCE IN ACTIVE GALACTIC NUCLEI<br>*J. E. Conway, S. T. Myers, T. J. Pearson, A. C. S. Readhead, S. C. Unwin, & W. Xu* | 568 | 88-F10 |
| STEPS TOWARD DETERMINATION OF THE SIZE AND STRUCTURE OF THE BROAD-LINE REGION IN ACTIVE GALACTIC NUCLEI. V. VARIABILITY OF THE ULTRAVIOLET CONTINUUM AND EMISSION LINES OF NGC 3783<br>*G. A. Reichert, P. M. Rodríguez-Pascual, D. Alloin, J. Clavel, D. M. Crenshaw, G. A. Kriss, J. H. Krolik, M. A. Malkan, H. Netzer, B. M. Peterson, W. Wamsteker, A. Altamore, B. Altieri, K. S. Anderson, J. H. Blackwell, Jr., C. Boisson, N. Brosch, T. E. Carone, M. Dietrich, M. N. England, I. N. Evans, A. V. Filippenko, C. M. Gaskell, M. Goad, P. M. Gondhalekar, K. Horne, D. Kazanas, W. Kollatschny, A. P. Koratkar, K. T. Korista, G. M. MacAlpine, D. Maoz, T. Mazeh, B. McCollum, H. R. Miller, C. Mendes de Oliveira, P. T. O'Brien, M. G. Pastoriza, D. Pelat, E. Pérez, G. C. Perola, R. W. Pogge, R. L. Ptak, M. C. Recondo-González, J. Rodríguez-Espinosa, E. I. Rosenblatt, A. C. Sadun, M. Santos-Lleó, J. C. Shields, C. R. Shrader, J. M. Shull, S. M. Simkin, M. L. Sitko, M. A. J. Snijders, L. S. Sparke, G. M. Stirpe, R. Stoner, T. Storchi-Bergmann, W.-H. Sun, T. Wang, W. F. Welsh, R. J. White, C. Winge, & W. Zheng* | 582 | 89-A1 |
| STEPS TOWARD DETERMINATION OF THE SIZE AND STRUCTURE OF THE BROAD-LINE REGION IN ACTIVE GALACTIC NUCLEI. VI. VARIABILITY OF NGC 3783 FROM GROUND-BASED DATA<br>*G. M. Stirpe, C. Winge, B. Altieri, D. Alloin, E. L. Aguero, G. C. Anupama, R. Ashley, R. Bertram, H. J. Calderon, R. M. Catchpole, R. L. M. Corradi, E. Covino, H. A. Dottori, M. W. Feast, K. K. Ghosh, R. Gil Hutton, I. S. Glass, E. K. Grebel, L. Jorda, C. Koen, C. D. Laney, M. Maia, F. Marang, Y. D. Mayya, N. Morrell, Y. Nakada, M. G. Pastoriza, A. K. Pati, D. Pelat, B. M. Peterson, T. P. Prabhu, G. Roberts, R. Sagar, I. Salamanca, K. Sekiguchi, T. Storchi-Bergmann, A. Subramaniam, H. van Winckel, F. van Wyk, M. Villada, R. M. Wagner, P. A. Whitelock, H. Winkler, J. Clavel, M. Dietrich, W. Kollatschny, P. T. O'Brien, G. C. Perola, M. C. Recondo-González, P. Rodríguez-Pascual, & M. Santos-Lleó* | 609 | 89-C1 |
| STEPS TOWARD DETERMINATION OF THE SIZE AND STRUCTURE OF THE BROAD-LINE REGION IN ACTIVE GALACTIC NUCLEI. VII. VARIABILITY OF THE OPTICAL SPECTRUM OF NGC 5548 OVER 4 YEARS<br>*B. M. Peterson, P. Berlind, R. Bertram, N. G. Bochkarev, D. Bond, M. S. Brotherton, J. R. Busler, K. K. Chuvaev, R. D. Cohen, M. Dietrich, M. Elvis, A. V. Filippenko, C. B. Foltz, P. M. Garnavich, L. C. Ho, E. Horine, K. Horne, J. P. Huchra, W. Kollatschny, K. T. Korista, M. A. Malkan, T. Matheson, M. Mignoli, S. L. Morris, L. Nazarova, J. Penfold, J. Peters, R. W. Pogge, V. I. Pronik, B. Rush, S. G. Sergeev, A. I. Shapovalova, J. C. Shields, G. M. Stirpe, S. Tokarz, R. M. Wagner, R. J. Weymann, R. J. White, B. J. Wilkes, D. Wills, B. J. Wills, C. Winge, & P. F. Younger* | 622 | 89-D1 |
| O STAR GIANT BUBBLES IN M33<br>*M. S. Oey & Philip Massey* | 635 | 89-E1 |
| A LARGE AREA CO ($J$ = 2–1) MAPPING OF THE GIANT MOLECULAR CLOUDS IN ORION<br>*Seiichi Sakamoto, Masahiko Hayashi, Tetsuo Hasegawa, Toshihiro Handa, & Tomoharu Oka* | 641 | 89-E10 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| LIGHT SCATTERING BY POROUS DUST PARTICLES IN THE DISCRETE-DIPOLE APPROXIMATION<br>*K. Lumme & J. Rahola* | 653 | 89-F12 |
| MULTIFREQUENCY STUDIES OF BRIGHT RADIO SUPERNOVA REMNANTS. I. 3C 391<br>*David A. Moffett & Stephen P. Reynolds* | 668 | 90-A1 |
| HIGH-RESOLUTION FAR-INFRARED OBSERVATIONS OF THE RING NEBULA<br>*C. Y. Zhang, P. M. Harvey, Beverly J. Smith, C. Colomé, & J. DiFrancesco* | 687 | 90-B13 |
| THE MASSIVE MOLECULAR OUTFLOW FROM CRL 2136 IRS 1<br>*Joel H. Kastner, David A. Weintraub, Ronald L. Snell, G. Sandell, C. Aspin, D. H. Hughes, & F. Baas* | 695 | 90-C9 |
| A NEAR-INFRARED STUDY OF THE MONOCEROS R2 STAR FORMATION REGION<br>*Eric M. Howard, Judith L. Pipher, & William J. Forrest* | 707 | 90-D12 |
| KINEMATIC STRUCTURE OF THE 30 DORADUS GIANT H II REGION<br>*You-Hua Chu & Robert C. Kennicutt, Jr.* | 720 | 90-F1 |
| FABRY-PEROT OBSERVATIONS AND NEW MODELS OF THE HH 47A AND HH 47D BOW SHOCKS<br>*Jon A. Morse, Patrick Hartigan, Steve Heathcote, John C. Raymond, & Gerald Cecil* | 738 | 91-A1 |
| HOT GAS AND THE ORIGIN OF THE NEBULAR CONTINUUM IN NOVAE<br>*Pedro Saizar & Gary J. Ferland* | 755 | 91-B10 |
| GENERAL RELATIVISTIC CORRECTIONS IN THE GAMMA-RAY EMISSION FROM PULSARS<br>*P. L. Gonthier & A. K. Harding* | 767 | 91-C10 |
| A SEARCH FOR NONBURST EMISSION FROM THE POSITIONS OF WELL-LOCALIZED GAMMA-RAY BURSTS<br>*John M. Horack & A. Gordon Emslie* | 776 | 91-D7 |
| ON THE NEW THEORY OF ULTRA-HIGH-ENERGY GAMMA-RAY PRODUCTION IN CYGNUS X-3<br>*Abhas Mitra* | 782 | 91-E1 |
| *ROSAT* OBSERVATIONS OF CATACLYSMIC VARIABLES: A SEARCH FOR THE BOUNDARY LAYER EMISSION<br>*S. D. Vrtilek, A. Silber, J. C. Raymond, & J. Patterson* | 787 | 91-E8 |
| ON THE INTERPRETATION AND IMPLICATIONS OF NOVA ABUNDANCES: AN ABUNDANCE OF RICHES OR AN OVERABUNDANCE OF ENRICHMENTS<br>*Mario Livio & James W. Truran* | 797 | 91-F6 |
| RAPID COOLING AND THE STRUCTURE OF NEUTRON STARS<br>*James M. Lattimer, Kenneth A. Van Riper, Madappa Prakash, & Manju Prakash* | 802 | 91-F12 |
| POSTEXPLOSION HYDRODYNAMICS OF SUPERNOVAE IN RED SUPERGIANTS<br>*Marc Herant & S. E. Woosley* | 814 | 91-G12 |
| CONCURRENT X-RAY AND OPTICAL OBSERVATIONS OF TWO DWARF NOVAE DURING ERUPTION<br>*A. Silber, S. D. Vrtilek, & J. C. Raymond* | 829 | 92-B1 |
| THE HIGH-STATE/LOW-STATE TRANSITION IN V794 AQUILAE<br>*R. Kent Honeycutt, John K. Cannizzo, & Jeff W. Robertson* | 835 | 92-B9 |
| HEAVY-ION ISOTOPIC ANOMALIES IN $^3$He-RICH SOLAR PARTICLE EVENTS<br>*G. M. Mason, J. E. Mazur, & D. C. Hamilton* | 843 | 92-C5 |
| EFFECTS OF HEAVY-ELEMENT SETTLING ON SOLAR NEUTRINO FLUXES AND INTERIOR STRUCTURES<br>*Charles R. Proffitt* | 849 | 92-C13 |
| A NEW PATH FOR THE ELECTRON BULK ENERGIZATION IN SOLAR FLARES: FERMI ACCELERATION BY MAGNETOHYDRODYNAMIC TURBULENCE IN RECONNECTION OUTFLOWS<br>*T. N. LaRosa, R. L. Moore, & S. N. Shore* | 856 | 92-D8 |
| THE ALLOWED LINES OF O IV NEAR 1340 Å IN HIGH ELECTRON DENSITY SOLAR FLARES<br>*J. W. Cook, F. P. Keenan, & A. K. Bhatia* | 861 | 92-E1 |
| ABSTRACTS OF THE ASTROPHYSICAL JOURNAL SUPPLEMENT SERIES, 1994 MAY | | |
| A REDSHIFT SURVEY IN QUASAR FIELDS. I. PHOTOMETRIC AND SPECTROSCOPIC CATALOG<br>*E. Ellingson & H. K. C. Yee* | 865 | 92-E7 |
| THE *EINSTEIN* DATABASE OF IPC X-RAY OBSERVATIONS OF OPTICALLY SELECTED AND RADIO-SELECTED QUASARS. I.<br>*Belinda J. Wilkes, Harvey Tananbaum, D. M. Worrall, Yoram Avni, M. S. Oey, & Joan Flanagan* | 865 | 92-E7 |
| MAGNETIC ENERGY DISSIPATION VIA RECONNECTIVE RELAXATION IN ASTROPHYSICAL JETS<br>*G. E. Vekstein, E. R. Priest, & C. D. C. Steele* | 865 | 92-E7 |
| THE H II REGIONS OF NGC 6822. III. A PHOTOMETRIC ATLAS<br>*John Collier & Paul Hodge* | 866 | 92-E8 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| POST-ASYMPTOTIC GIANT BRANCH EVOLUTION OF LOW- TO INTERMEDIATE-MASS STARS<br>*E. Vassiliadis & P. R. Wood* | 866 | 92-E8 |
| OUTFLOWS FROM YOUNG STELLAR OBJECTS IN BOK GLOBULES: MAPS<br>*João Lin Yun & Dan P. Clemens* | 866 | 92-E8 |
| A CATALOG OF BRIGHT-RIMMED CLOUDS WITH *IRAS* POINT SOURCES: CANDIDATES FOR STAR FORMATION BY RADIATION-DRIVEN IMPLOSION. II. THE SOUTHERN HEMISPHERE<br>*Koji Sugitani & Katsuo Ogura* | 867 | 92-E9 |
| RADIO CONTINUUM, AMMONIA, AND WATER MASER OBSERVATIONS OF BRIGHT, UNASSOCIATED *IRAS* POINT SOURCES<br>*Mari Paz Miralles, Luis F. Rodríguez, & Eugenio Scalise* | 867 | 92-E9 |
| VLA POSITIONS AND DISTRIBUTIONS OF $H_2O$ MASERS ASSOCIATED WITH 15 MIRA AND SEMIREGULAR VARIABLES<br>*P. F. Bowers & K. J. Johnston* | 867 | 92-E9 |
| A CATALOG OF RECENT SUPERNOVAE<br>*Sidney van den Bergh* | 868 | 92-E10 |
| THE FIRST BATSE GAMMA-RAY BURST CATALOG<br>*Gerald J. Fishman, Charles A. Meegan, Robert B. Wilson, Martin N. Brock, John M. Horack, Chryssa Kouveliotou, Sethanne Howard, William S. Paciesas, Michael S. Briggs, Geoffrey N. Pendleton, Thomas M. Koshut, Robert S. Mallozzi, Mark Stollberg, & John Patrick Lestrade* | 868 | 92-E10 |
| BATSE SPECTROSCOPY CATALOG OF BRIGHT GAMMA-RAY BURSTS<br>*Bradley E. Schaefer, Bonnard J. Teegarden, Stephan F. Fantasia, David Palmer, Thomas L. Cline, James L. Matteson, David L. Band, Lyle A. Ford, Gerald J. Fishman, Charles A. Meegan, Robert B. Wilson, William S. Paciesas, Geoffrey N. Pendleton, Michael S. Briggs, & John P. Lestrade* | 869 | 92-E11 |
| HIGH-RESOLUTION FOURIER TRANSFORM SPECTROSCOPY OF THE MEINEL SYSTEM OF OH<br>*Mark C. Abrams, Sumner P. Davis, M. L. P. Rao, Rolf Engleman, Jr., & James W. Brault* | 869 | 92-E11 |
| ROVIBRATIONAL INTENSITIES OF THE MINOR ISOTOPES OF THE CO $X\ ^1\Sigma^+$ STATE FOR $v \leqslant 20$ AND $J \leqslant 150$<br>*D. Goorvitch & C. Chackerian* | 869 | 92-E11 |
| INDEX TO VOLUMES 423–425, PARTS 1 AND 2 | i | 92-G1 |